

TOPDON®



RLink Lite

Your All-In-One OEM Diagnostic Solution



Diagnostic Tool

Contents

01

Brief

02

Specs

03

Features

04

Diagnostic
Software

05

What's In
The Box?

06

FAQs

Brief

Specs

Features

Diagnostic
Software

What's In
The Box?


FAQs




Rlink Lite

The RLink Lite, a product independently developed by TOPDON, is a versatile diagnostic tool empowering users to achieve OE-level diagnostics for a wide range of vehicles. Featuring a user-friendly 5-inch LCD touchscreen, this diagnostic device operates smoothly. Serving as an OE software VCI box, the RLink Lite facilitates seamless diagnostics, programming, and coding for renowned car brands such as Mercedes-Benz, BMW, VAG, Porsche, and more.

Compliant with three major automotive industry standards—D-PDU, J2534, and RP1210—the RLink Lite ensures extensive vehicle coverage with a single device. Simplify your diagnostic process and elevate your capabilities with the RLink Lite, the premier choice for all your OEM diagnostic needs.



Parameters



Display:

LCD 5-Inch, 854*480
CPU 4-Core Processor, 1.8 GHz
Android 11.0

RAM:

2G

ROM: 32G

Battery:

5000 mAh / 3.7V

Operating Voltage:

6~36V

Storage Temperature:

-20°C~60°C (-4°F~140°F)

Working Temperature:

0°C~50°C (32°F~122°F)

Dimensions:

198*108*42 mm
(7.80*4.25*1.65 inches)

Protocols

SAE-J2534-1 & SAE-J2534-2
Pass-Thru; ISO 22900;
MVCI & D-PDU; ISO 14229(UDS);
ISO22901(ODX); ISO13400(-DOIP);
SAE-J2610 SCI(Chrysler);
ISO 15765(CAN); ISO 11898(DWCAN);
ISO 14230(KWP2000); ISO 9141;
J1850(VP_x0002_W/PWM);
J2411(SWCAN); ISO 15765;
J2740(GM ALDL); J2809(HONDA DIAG-H);
J2818(KW81); J2819(TP16/TP20);
FORD UBP; BMW DS2; CANFD

Brief

OE-Level Diagnostics Within Reach

Wondering how to achieve OE-level vehicle diagnostics without breaking the bank?

Look no further than RLink Lite, the cost-effective VCI box designed as an alternative to various OEM diagnostic devices.

With its exceptional compatibility, RLink Lite seamlessly conducts original equipment-level diagnostics, programming, and coding jobs, making it the go-to tool for repair shops and technicians to achieve OE-level diagnostics across various vehicle models.

Specs

Features

Diagnostic Software

What's In The Box?

FAQs



Brief

Drive Diagnostics Beyond Limits

RLink Lite stands out with its extensive protocol support and wide vehicle coverage.

Compatible with D-PDU, J2534, and RP1210 diagnostic standards, it seamlessly integrates with diverse protocols like DoIP, CAN, CAN FD, J1850, and K line.

This ensures comprehensive coverage across various vehicle models, including big names like Mercedes-Benz, BMW, Porsche, VAG, and more.

Specs

Features

Diagnostic Software

What's In The Box?

FAQs



Brief

One-Stop Solution for OE-Level Diagnostics

RLink Lite presents a comprehensive solution with our proprietary DMS (Driver Management System). Effortlessly access a diverse range of drivers for seamless integration with OE software.

Navigate with ease using built-in OEM operation guides to swiftly master OE software. Simplify the process with a single click to download and update drivers.

TOPDON always stands by technicians every step of the way and prepares them for the challenges and opportunities that lie ahead.


Specs

Features

Diagnostic Software

What's In The Box?

FAQs



Brief

Faster, Smoother

Unlock unparalleled diagnostic efficiency with RLink Lite, supporting high-speed DoIP diagnostics for faster data transmission during vehicle diagnostics and programming.

Utilizing existing Ethernet networks, it introduces unmatched flexibility, making diagnostics in modern vehicles more convenient and free from the constraints of physical connections.

Specs

Features

Diagnostic
Software

What's In
The Box?

FAQs



Easy and Intuitive Interface

The 5-inch LCD touchscreen features a user-friendly interface, providing a seamless and effortless experience.

Users can navigate through operations with ease, maximizing the full range of its functionality.

Features

Diagnostic Software


What's In The Box?



5 -inch
LCD

Brief	Diagnostic Software			
	Brand	Model	Original Diagnostic Software	Support
Specs	BENZ	Benz, Maybach, Smart, FUSO	DAS & Xentry & Vediamo & DTS-Monaco	√
	BMW	BMW, Rolls Royce, MINI	ISTA-D/P & Eys & WinKFP & INPA	√
	VAG	VAG	ODIS-S & ODIS-Engineer	√
	PORSCHE	Porsche	PT3G PIWIS-3	√
Features	JLR	Jaguar, Land Rover (Before 2017)	JLR SDD	√
	VOLVO	Volvo	VIDA 2014D	√
	GM	Chevrolet, Buick, Cadillac, Opel, Holden, SAIC GM,	GDS2/SPS2 & RDS3/SAIC SPS2 & DPS	√
	FORD	Ford	FDRS & FJDS & ForScan	√
What's In The Box?	TOYOTA	Toyota, Lexus, SAIN	Techstream TIS	√
	HONDA	Honda, Acura	HDS/iHDS	√
	CHRYSLER	Chrysler, Fiat, Jeep, Dodge	wiTech 2.0	√
	NISSAN	Nissan	CONSULT-III-R2R/NER	√
FAQs	SUBARU	Subaru	SSM4	√
	BAOJUN	Baojun	VDS	√

Brief



What's In The Box?


Specs

Features

Diagnostic
Software

What's In
The Box?

FAQs

RLink Lite	Carrying Case	12V DC Power Adapter	1.5M USB 2.0 Cable
			
Package Box	5M Network Cable	2M OBD2 Diagnostic Cable	Quick User Guide
			

Brief



FAQs

Specs

Question

Do I need to power the RLink Lite when binding it?

Answer

Features

There are two binding methods: using the Rlink Platform(DMS) or binding through the RLink Lite's own interface.

1) Power is required when binding through the Rlink Platform. You can power the RLink Lite in either of the following ways:

- a. Connect a 12V power source
- b. Power through the diagnostic cable by connecting it to the vehicle's OBD diagnostic port

Diagnostic
Software

2) When binding through the RLink Lite's own interface, power is not needed as long as the RLink Lite's battery is charged. Otherwise, connect a 12V power source or the vehicle's OBD diagnostic port for power.

What's In
The Box?

FAQs

Brief



FAQs

Specs

Question

Can a system install drivers for multiple OE software?

Answer

To avoid potential conflicts with other OE software drivers that may occupy the RLink Lite, hindering its proper connection with the current OE software, it is advisable to install drivers for only one OE software on a system. For instance, installing the BMW OE software driver will occupy the RLink Lite, preventing it from connecting to other OE software until the BMW OE software driver is uninstalled.

Features

Question

After downloading the driver, can the Rlink Platform be turned off when performing local diagnostics with OE software?

Answer

Yes, it can be turned off. However, when running the BMW OE software, the Rlink Platform must remain active.

Diagnostic
Software

What's In
The Box?

FAQs

Brief



FAQs

Specs

Question

How can the ignition switch position of the vehicle be accurately identified?

Answer

Features

1) The OE software itself must be equipped with the functionality to read the ignition switch position. Presently, established OE software such as Volkswagen, Audi, and Porsche offer this capability, while Honda OE software does not include it.

2) The OE software must be running for this function to operate. Without the OE software running, the ignition switch position cannot be detected.

Note: Failure to detect the ignition switch position does not impact the normal functioning of the OE software.

Diagnostic
Software

What's In
The Box?

FAQs



 @topdonofficial

+86-755-21612590 (Global HQ)
+1-833-629-4832 (North America)
+34 697 733 280 (Europe)

sales@topdon.com
support@topdon.com

**CHINA
TOPDON HQ**

topdon.com

Unit 2005 20/F, No. 3040 Xinghai Avenue,
Qianhai Shimao Tower, Qianhai Shenzhen-Hong Kong
Cooperation Zone, Shenzhen, PR, China 518000

**USA
TOPDON**

topdon.us

400 Commons Way, Suite A
Rockaway, NJ 07866

**EU
TOPDON**

eu.topdon.com

Barcelona Spain